

# HCC Extensions

## A Custom API for Cpanel

*Version 0.1 beta*

*8/DEC/2003*

© 2002,2003 Juan R. Pozo

<http://html.conclase.net/cp/scripts/>

<mailto:jrpozo@conclase.net>

Mailing list: [http://www.conclase.net/mailman/listinfo/cpanel\\_conclase.net](http://www.conclase.net/mailman/listinfo/cpanel_conclase.net)

## License

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Note: a copy of the GNU General Public License is available at:

<http://html.conclase.net/cp/scripts/license.html>

## Installation

- 1) Check if the file `HCCExtensions.pm` exists in your server inside the `/usr/local/cpanel/Cpanel/` directory
- 2) If it exists and isn't a previous version of this API please contact me. Otherwise, follow steps 3 to 8
- 3) switch to root user
- 4) # `cd /usr/local/cpanel/Cpanel/`
- 5) # `wget http://html.conclase.net/cp/scripts/HCCExtensions.perl.txt`
- 6) # `chown root.root HCCExtensions.perl.txt`
- 7) # `chmod 0644 HCCExtensions.perl.txt`
- 8) # `mv HCCExtensions.perl.txt HCCExtensions.pm`

## API Reference

### **<cpanel HCCApi="viewfile(*directory,file*)">**

This is equivalent to the standard API call `<cpanel fileman="viewfile(dir,file)">`, but escapes HTML characters `&`, `<`, `>` and `"` for files identified as text files by Linux program `file`. Until bug number 995 ([http://web.cpanel.net/bugzilla/show\\_bug.cgi?id=995](http://web.cpanel.net/bugzilla/show_bug.cgi?id=995)) is fixed, you may use this call as a workaround.

### **<cpanel HCCApi="AddonsListInstalledOptions(*addonname*)">**

Returns the directory names where the addon script given by *addonname* has been previously installed. Each directory name is embedded in an OPTION HTML element, for example:

```
<option value="projekt">&nbsp;projekt&nbsp;</option>
<option value="projekt2">&nbsp;projekt2&nbsp;</option>
```

The addon name must not be quoted.

### **<cpanel HCCApi="OwnerDomain()">**

Prints the domain name of this account's owner (reseller).

## Changelog

### **0.1 Beta – December 8, 2003**

Forked from HCCApi 0.3.7.

First public release.

---

Please consider making a donation today. Visit my amazon.com wishlist at:

<http://html.conclase.net/link/wishlist>

Thank you :)